560TJ - TOUGHJACKET™ SAE 100R1AT Hydraulic Hose

Copolyester Core Tube

Twin or multi-line available. General hydraulic hose.



Features

- Twin or multi-line available.
- Lighter and smaller than 100R1AT with longer lengths
- Fast response hose
- TOUGHJACKET Polyurethane cover for best abrasion resistance
- · Low length change under pressure makes it an ideal solution for boom or cable track applications where long lengths are required

Compliance

- Meets/Exceeds SAE J517 100R1AT performance
- MSHA compliant cover

Construction

- · Tube: Copolyester
- Reinforcement: High Tensile Steel Wire Braid
- Cover: TOUGHJACKET Polyurethane

Fittings

- 56 Series pg. E-33
- For most Parker products, Crimp Die Selection charts are found online at www.parker.com/crimpsource
- Access instructions are on pg. G-3

Operating Parameters

- Temperature Range:
 - Petroleum based hydraulic fluids and lubricating oils within a temperature range -40°F (-40°C) to 250°F (121°C)
 - Synthetic, synthetic blend, water, and water/oil emulsion hydraulic fluids limited to 185°F (85°C)
 - Water/glycol hydraulic fluids limited to 135°F (57°C)
- Vacuum Rating: 28 inch Hg
- Change in length at Max. Working Pressure: +/-2%
- Min. Burst Pressure is 4x Max. Working Pressure at 73°F (23°C)

Notes

Non-perforated cover

Color

Black



Visit the webpage

Series 560TJ

Part Number Nominal I.D. Maximum Maximum Minimum 0.DWorking Bend **Pressure** Radius Series inch MPa lbs./ft. kg/mtr mm inch mm inch 0.39 9.9 560TJ-3 3/16 3,626 3/4 0.01 56 560TJ-4 0.47 1-1/2 0.09 1/4 3,263 22.5 0.14 56 5/16 560TJ-5 0.53 1-3/4 0.11 8 13.4 3,118 21.5 44.5 0.16 56

3/8 19.0 560TJ-6 10 0.61 15.5 2,750 2 50.8 0.14 0.21 56 560TJ-8 1/2 12.5 0.75 19.0 2,500 17.2 3 76.2 0.19 0.29 56 560TJ-10 5/8 0.93 13.8 4 16 2,000 101.6 0.31 0.47 56 560TJ-12 3/4 19 1.04 1,750 12.1 4-1/4 107.9 0.28 0.42 56

WARNING

This product can expose you to chemicals including Antimony Oxide (Antimony Trioxide), which is known to the State of California to cause cancer, and 2-Imidazolidinethione, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.